



TORQ-TEK TOOLS

INDUSTRIAL PNEUMATIC TOOLS

OIL PULSE TOOLS

AUTOMOTIVE TOOLS



ELECTRICAL SCREWDRIVER

PNEUMATIC SCREWDRIVER

TORQUE WRENCH/TESTER

TOOLS STORAGE TROLLEY

SPRING BALANCER

SCREWDRIVER BITS

IMPACT SOCKETS



GST No.: 27AWHPG9781B1ZD



UDYAM-MH-26-0250536

ISO 9001:2008

Office – Shop No. 1, Sindhu Sagar Complex, Pune-Nashik Highway, Chimbali Phata, Tal. Khed, Dist. Pune – 410501,

Web - www.torqtektools.in/ Company Email - torqtektools@gmail.com/info@torqtektools.in/marmikdesai@torqtektools.in

Contact :- 7721988551 /9273221422

ABOUT TORQ TEK

WE ARE IN THIS BUSINESS SINCE 2013. INITIALLY WE STARTED WITH GFB SCREWDRIVER BITS AND NON STANDARD IMPACT SOCKETS SUPPLY THEN WE VENTURED IN PNEUMATIC TOOLS AS WELL. WE ARE THE PIONEERS OF PNEUMATIC TOOLS MAINTENANCE IN PUNE REGION, ANY MAKE OR TYPE OF PNEUMATIC TOOL YOU NAME IT AND WE DO IT. WE HAVE ONE OF THE FINEST SERVICE ENGINEERS WITH ALMOST 35 YEARS OF EXPERIENCE IN PNEUMATIC TOOLS. OUR MISSION IS TO GIVE THE RIGHT SOLUTIONS TO OUR CLIENTS WITH SATISFACTION. OUR VISION IS TO EMERGE AS A LEADING PNEUMATIC TOOLS PROVIDER IN INDIA.

PRODUCT KEYS

- AIR DRILL
- AIR PULSE TOOL
- AIR TYRE BUFFER
- AIR SCREWDRIVER
- AIR RATCHET WRENCH
- AIR SANDER
- AIR RIVETER
- AIR NUT RIVETER
- AIR HOSE REEL
- AIR CHIPPING HAMMER
- AIR BELT SANDER
- AIR FLUX CHIPPER
- AIR POLISHER
- AIR FILE
- AIR SAW
- AIR MICRO PENCIL DIE GRINDER
- AIR ANGLE GRINDER
- AIR HAMMER
- AIR IMPACT WRENCH
- AIR GRINDER
- AIR DIE GRINDER
- AIR STRAIGHT GRINDER

AUTHORISED DISTRIBUTIONSHIPS



• AIR OIL IMPULSE TOOLS.

PISTOL TYPE/STRAIGHT TYPE/ANGLE TYPE IMPULSE SCREWDRIVERS AND WRENCHES



MODEL	BOLT CAPACITY (MM)	CLUTCH MECHANISM	FREE SPEED (RPM)	SUITABLE TORQUE (N.M.)	AIR INLET	AIR HOSE	AIR CONSUMPTION	WEIGHT (KG)	AIR PRESSURE (MM)
APW-40P	5	OIL PULSE	4700	4 TO 9	1/4"	6.3	0.24	0.9	164
APW-50P	6	OIL PULSE	7000	8 TO 19	1/4"	10	0.42	0.9	164
APW-60P	6 TO 8	OIL PULSE	8500	16 TO 32	1/4"	10	0.42	0.9	164
APW-70P	8 TO 10	OIL PULSE	6300	30 TO 55	1/4"	10	0.54	1.2	176
APW-80P	10	OIL PULSE	6000	40 TO 70	1/4"	10	0.54	1.2	176
APW-150P	12 TO 16	OIL PULSE	38000	125 TO 250	3/8"	13	1.26	3.1	216
APW-190P	16 TO 20	OIL PULSE	3000	225 TO 450	3/8"	13	1.38	4.2	221

• AIR IMPACT WRENCHES

1/4", 3/8", 1/2", 3/4" AND 1" SQUARE DRIVE IMPACT WRENCHES



MODEL	ANVIL SIZE (INCH)	FREE SPEED (RPM)	MAXIMUM TORQUE (NM)	AIR INLET (NPT)	HOSE SIZE ID (MM)	WEIGHT (KGS)
AW-80P	1/2"	7800	300	1/4"	6.4	1.2
AW-130P	1/2"	6200	1054	1/4"	6.4	2.2
AW-422P	1"	3000	3450	1/2"	12.7	13
AW-422GL	1"	3000	3450	1/2"	6.3	13.7
AB-1700P	1/2" & 3/8"	7600	510	1/4"	6.4	1.5
AB-1900PO	1/2"	6400	850	1/4"	6.4	2.5
AB-4002P	1"	4200	2400	1/2"	12.7	9.6

NOTE-WE CAN ALSO PROVIDE VARIOUS MODELS AS PER APPLICATION

• PNEUMATIC INDUSTRIAL TOOLS




PNEUMATIC INDUSTRIAL TOOLS

PRODUCT	MODEL NO	FREE SPEED (RPM)	AIR INLET (NPT)	HOSE SIZE (MM)	WEIGHT (KG)
AIR DIE GRINDER	DG-26-20-BF	24000	1/4"	9.5	0.7
AIR DIE GRINDER	DG-26-1BF	24000	1/4"	9.5	0.9
AIR MICRO DIE GRINDER	MG-120	65000	1/4"	6.4	0.1
AIR MICRO DIE GRINDER	MG-121	55000	1/4"	6.4	0.1
AIR SAW	FI-105	9500	1/4"	6.4	0.7
AIR FILE	FI-108	6500	1/4"	10	0.8
AIR DRILL	DR-66	800	1/4"	6.4	1.3
AIR DRILL	DR-62	1800	1/4"	6.4	1.1
AIR SANDER 5" / 6"	SA-101-5/6	10000	1/4"	9.5	0.8
AIR SANDER 3"	SA-107-3	2500	1/4"	9.5	0.6
AIR SANDER 7"	SA-115-7	2500	1/4"	9.5	2.3
AIR RATCHET WRENCH 1/2"	RW-108-1	160	1/4"	10	1.45
AIR RATCHET WRENCH 3/8"	RW-110	450	1/4"	10	0.5
AIR BELT SANDER	BS-102	18000	1/4"	6.4	0.8
AIR BELT SANDER	BS-103	18000	1/4"	6.4	1
AIR FLUX CHIPPER PISTOL	HA-102	3000	1/4"	9.5	1.5
AIR FLUX CHIPPER STRAIGHT	FC-101	5000	1/4"	9.5	1.8
AIR HYDRAULIC REVERTER 4.8	HR-101	-	1/4"	6.4	1.5
AIR HYDRAULIC REVERTER 6.4	HR-102S	-	1/4"	6.4	2
AIR SPIN PULL TOOL	PS-102	1500	1/4"	6.4	1.4
AIR CHIPPING HAMMER	CH-891	-	3/8"	8	2.8
AIR CHIPPING HAMMER	CH-001	-	3/8"	13	6.5

• AUTO SHUTOFF TYPE SCREWDRIVER

PISTOL/ANGLE/STRAIGHT/LEVER/AND PUSH TO START SCREWDRIVERS.



MODEL	FREE SPEED (r.p.m)	WEIGHT (g)	O.A.L (mm)	DIA (mm)	NOISE LEVEL (±2dBA)	MIN.AIR HOSE BORE (mm)	AIR CONSUMPTION (M3/min)	TORQUE RANGE (SOFT JOINT) (kgf- cm)	STANDARD DEVIATION (%)
AS-10PB/AB/LB	1000	480	180	31	70	5	0.2	0.5 to 2	±3
AS-20PB / AB/LB	1000	480	180	31	70	5	0.2	1 to 8	±3
AS-30PB / AB/LB	1800	480	180	31	74	5	0.28	3 to 17	±3
AS-35PB / AB/LB	2200	480	180	31	74	5	0.28	3 to 20	±3
AS-38PB / AB/LB	1800	480	180	31	74	5	0.28	3 to 25	±3
AS-40PB / AB/LB	1000	480	180	31	74	5	0.28	5 to 30	±3
AS-45PB / AB/LB	800	480	180	31	78	5	0.3	8 to 40	±3
AS-48PB / AB/LB	1700	790	215	39	78	8	0.55	5 to 45	±3
AS-50PB / AB/LB	1400	790	215	39	78	8	0.55	7 to 50	±3
AS-55PB / AB/LB	1000	790	215	39	78	8	0.55	7 to 65	±3
AS-60PB / AB/LB	550	790	215	39	78	8	0.55	15 to 95	±3
AS-65PB / AB/LB	300	810	215	39	78	8	0.55	30 to 180	±3
AS-68PB / AB/LB	250	810	215	39	78	8	0.55	50 to 280	±3

• ELECTRICAL SCREWDRIVER

SHUT OFF / NON SHUT OFF TYPE SCREWDRIVER



MODEL	TORQUE RANGE (N.M)	UNLOADED SPEED (RPM)	WEIGHT (G)	LENGTH (MM)	POWER SOURCE	POWER CONSUMPTION
A0319 (S)	0.29 TO 1.86	1000	540	240	DC24V/32V	55W
A1545 (S)	1.96 TO 4.90	1000	800	275	DC40V	120W
A0309 (S)	3 TO 9	1000	1030	306	DC40V	150W
A0375 (A)	3 TO 7.5	800	2500	393	DC40V	120W

• SCREW FEEDER AND TORQUE TESTERS

FULLY AUTOMATIC SCREW FEEDER AND TORQUE TESTER



NOTE-WE CAN ALSO PROVIDE VARIOUS MODELS AS PER APPLICATION

• SCREWDRIVER BITS

DOUBLE ENDED PHILLIPS BITS

SIZE	HEX.SHANK (mm)	LENGTH (mm)
PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH3	6.35	50 / 75 / 100 / 150 / 200 / 250
PH3	6.35	50 / 75 / 100 / 150 / 200 / 250
PH3	6.35	50 / 75 / 100 / 150 / 200 / 250
PH3	6.35	50 / 75 / 100 / 150 / 200 / 250

SINGLE ENDED PHILLIPS BIT

MOEL NO.	SIZE	HEX.SHANK (mm)	LENGTH (mm)
PH145-50	PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH145-75	PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH145-100	PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH145-150	PH1	6.35	50 / 75 / 100 / 150 / 200 / 250
PH245-50	PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH245-75	PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH245-100	PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH245-150	PH2	6.35	50 / 75 / 100 / 150 / 200 / 250
PH360-50	PH3	6.35	50 / 75 / 100 / 150 / 200 / 250
PH360-75	PH3	6.35	50 / 75 / 100 / 150 / 200 / 250
PH360-100	PH3	6.35	50 / 75 / 100 / 150 / 200 / 250
PH360-150	PH3	6.35	50 / 75 / 100 / 150 / 200 / 250

SLOTTED POWER BIT

MODEL NO.	WIDTH (mm)	THICKNESS (mm)	LENGTH (mm)
SL405050	4	0.5	50 / 75 / 100 / 150
SL456050	4.5	0.6	50 / 75 / 100 / 150
SL558050	5.5	0.8	50 / 75 / 100 / 150
SL5510050	5.5	1	50 / 75 / 100 / 150
SL6512050	6.5	1.2	50 / 75 / 100 / 150
SL456075	4.5	0.6	50 / 75 / 100 / 150
SL558075	5.5	0.8	50 / 75 / 100 / 150
SL6010075	6	1	50 / 75 / 100 / 150
SL4560100	4.5	0.6	50 / 75 / 100 / 150
SL5580100	5.5	0.8	50 / 75 / 100 / 150
SL60100100	6	1	50 / 75 / 100 / 150
SL4560150	4.5	0.6	50 / 75 / 100 / 150
SL5580150	5.5	0.8	50 / 75 / 100 / 150
SL60100150	6	1	50 / 75 / 100 / 150

TORX POWER BIT

MODEL NO.	SIZE	HEX.SHANK (mm)	LENGTH (mm)
TX104550	T-10	6.35	50/75/90/100/150/200
TX154550	T-15	6.35	50/75/90/100/150/200
TX205050	T-20	6.35	50/75/90/100/150/200
TX255050	T-25	6.35	50/75/90/100/150/200
TX275550	T-27	6.35	50/75/90/100/150/200
TX306050	T-30	6.35	50/75/90/100/150/200
TX407050	T-40	6.35	50/75/90/100/150/200
TX104575	T-10	6.35	50/75/90/100/150/200
TX154575	T-15	6.35	50/75/90/100/150/200
TX205075	T-20	6.35	50/75/90/100/150/200
TX255075	T-25	6.35	50/75/90/100/150/200
TX275575	T-27	6.35	50/75/90/100/150/200
TX306075	T-30	6.35	50/75/90/100/150/200
TX407075	T-40	6.35	50/75/90/100/150/200


HEXAGON POWER BIT

MODEL NO.	SIZE	HEX.SHANK (mm)	LENGTH (mm)
HX3050	3	6.35	50/75/100/150
HX4050	4	6.35	50/75/100/150
HX5050	5	6.35	50/75/100/150
HX6050	6	6.35	50/75/100/150
HX7050	7	6.35	50/75/100/150
HX8050	8	6.35	50/75/100/150
HX3075	3	6.35	50/75/100/150
HX4075	4	6.35	50/75/100/150
HX5075	5	6.35	50/75/100/150
HX6075	6	6.35	50/75/100/150
HX7075	7	6.35	50/75/100/150
HX8075	8	6.35	50/75/100/150
HX30100	3	6.35	50/75/100/150
HX40100	4	6.35	50/75/100/150
HX50100	5	6.35	50/75/100/150
HX60100	6	6.35	50/75/100/150

SOCKET SET / NUT RUNNER MAGNETIC / NON - MAGNETIC

MODEL NO.	SIZE	HEX.SHANK (mm)	LENGTH (mm)
SN502565	5	6.35	65/100/150/200/250
SN602565	6	6.35	65/100/150/200/250
SN803065	8	6.35	65/100/150/200/250
SN1003065	10	6.35	65/100/150/200/250
SN1103065	11	6.35	65/100/150/200/250
SN1203065	12	6.35	65/100/150/200/250
SN1303065	13	6.35	65/100/150/200/250
SN1403065	14	6.35	65/100/150/200/250
SN5025100	5	6.35	65/100/150/200/250
SN6025100	6	6.35	65/100/150/200/250
SN8030100	8	6.35	65/100/150/200/250
SN10030100	10	6.35	65/100/150/200/250
SN11030100	11	6.35	65/100/150/200/250
SN12030100	12	6.35	65/100/150/200/250
SN13030100	13	6.35	65/100/150/200/250
SN14030100	14	6.35	65/100/150/200/250

HEX STANDARD/ DEEP IMPACT SOCKET (EXTRA DEEP/SEMI DEEP/INVERTED)



3/8"	1/2"	3/4"	1"
IMP-7	IMP-8	IMP-C-24	IMP-D-24
IMP-8	IMP-9	IMP-C-27	IMP-D-27
IMP-9	IMP-10	IMP-C-28	IMP-D-28
IMP-10	IMP-11	IMP-C-30	IMP-D-30
IMP-11	IMP-12	IMP-C-32	IMP-D-32
IMP-12	IMP-13	IMP-C-34	IMP-D-33
IMP-13	IMP-14	IMP-C-36	IMP-D-36
IMP-14	IMP-15	IMP-C-38	IMP-D-38
IMP-15	IMP-16	IMP-C-41	IMP-D-41
IMP-16	IMP-17	IMP-C-45	IMP-D-45
IMP-17	IMP-18	IMP-C-46	IMP-D-46
IMP-18	IMP-19	IMP-C-50	IMP-D-50
IMP-19	IMP-20	IMP-C-52	IMP-D-53
IMP-20	IMP-21	IMP-C-55	IMP-D-55
IMP-21	IMP-22	IMP-C-60	IMP-D-60
IMP-22	IMP-23	IMP-C-65	IMP-D-65
IMP-23+	IMP-24 +	IMP-C-70+	IMP-D-70+



• TOOLS TROLLEY

INDUSTRIAL CNC/VMC TROLLIES , AUTOMOTIVE TOOLS TROLLEY, CABINETS



• SPRING BALANCER



• TORQUE WRENCHES




• PNEUMATIC FITTINGS AND PIPES



• OTHER PRODUCTS AND SERVICES .

- WE PROVIDES PNEUMATIC TOOL SPARES.
- SCREW COMPRESSORS AND RECIPROCATING COMPRESSORS SALES AND SERVICE
- WE ALSO DEAL IN ALL TYPES OF ELECTRIC POWER TOOLS E.G. DEWALT , BOSCH, RALLIWOLF, KPT.
- OUR HAND TOOLS PARTNERS ARE TAPARIA , STANLEY, EASTMAN, DENEERS, PYTHON.
- QRC SOCKETS OF LUDECKE, NITTO-KOHKI & HYDRAULICS.
- WE HANDLE MAINTENANCE OF ALL TYPES OF PNEUMATIC TOOLS E.G. CHICAGO PNEUMATICS (CP) / INGERSOLL RAND (IR) / WUERTH / SUMAKE / ELEPHANT AND OTHER WELL KNOWN BRANDS.
- AIR PIPELINE - PPR (POLY-PROPYLENE) AND ALUMINIUM PIPELINE.

QUICK CHANGE COUPLERS [®]



- HAND TOOLS, TORQUEWRENCH INSERT PIPES FITTINGS AND FRL.



TORQ TEK PNEUMATIC TOOLS

Office – Shop No. 1, Sindhu Sagar Complex, Pune-Nashik Highway, Chimbali Phata,
Tal. Khed, Dist. Pune– 410501,
Web- www.torqtektools.in

Email-torqtektools@gmail.com/info@torqtektools.in/marmikdesai@torqtektools.in
Contact - 7721988551 / 9273221422/9689700333